


RGM-SM-PVS PVC Swimming Pool Liner


Description

RGM-SM-PVS PVC Swimming Pool liner is one of RG JIAYE PVC membrane family. It is a kind of Polyvinyl chloride liner, reinforced with polyester mesh, mixing stabilizers, plasticizer, anti-UV agent, anti-aging agent, etc. The product is corrosion-resistant and chlorine-resistant. It has excellent size stability and lower thermal expansion coefficient, so it has strong adaptability to the external environment.



Specification

Thickness	1.5mm
Width	1.65m, 1.83m or customized
Length	25m, 30m or customized
Color	Blue, Mosaic or customized




Application Range

Especially for the walls and bottoms of swimming pools in all kinds of shapes and types, including public or private pools, SPA pools, water park etc.





Features and Benefits

1. Customized design: All kinds of single colors and printed patterns are available.
2. Excellent resistance to weathering: Ultra anti UV ability. Suitable for expansion and contraction, no crack in high or low temperature.
3. Excellent physical performance: Good weld ability, stain resistance, and abrasion resistance. High resistance to impacts and tearing.
4. High flexibility: Adaptable to any shape of pool, easy to install or re-install.
5. Low cost: Low cost in comparison with replacing tiles or standard cladding.
6. Long life: Can be guaranteed for over ten years.



Storage and Packing

- 1) Temperature should be during 5°C- 45°C.
- 2) Avoid direct sunshine, rain, keep ventilated.



Beijing RongGuan JIAYE Technology Co.LTD

Telephone: +86 (10) 57389866

Email: RGJIAYE@rgjytech.com

Website: www.rgjytech.com

Product Disclaimer

This Product Data Sheet (PDS) summarizes our best knowledge of the product, including how to use and apply the product based on the information available at the time. You should read this PDS carefully and consider the information in the context of how the product will be used, including in conjunction with any other product and the type of surfaces to, and the manner in which, the product will be applied. Our responsibility for products sold is subject to our standard terms and conditions of sale. RG JIAYE does not accept any liability either directly or indirectly for any losses suffered in connection with the use or application of the product whether or not in accordance with any advice, specification, recommendation or information given by it.